

GENERAL DYNAMICS

Land Systems

MPA 01-1184

May 29, 2001

Ms. Gail Bindewald, AMSTA-LC-CAC-A
U. S. Army Armaments & Chemical Acquisition
And Logistics Activity
Building #104
Rock Island, Illinois 61299-7630

Dear Ms. Bindewald:

Subject: Contract DAAE20-97-G-0002, Delivery Order 0041
Part Number Change Notice No. 1


A part number change has been effected for the CEU Power Supply deliverable under the subject contract. The part number change information is as follows:

<u>ECP</u> <u>Number</u>	<u>CLIN</u>	<u>Superseded</u> <u>Part Number</u>	<u>New</u> <u>Part Number</u>	<u>Qty</u>	<u>IC</u>	<u>Effectivity</u>
GDMY1532	0003AA	12467391	12467391-2	12	TW	LA21001

GDLS will provide a proposal containing the ceiling price and schedule impact within the next thirty (30) days. At that time, pending the negotiation of any cost and schedule impact pertaining to this change, a contract modification incorporating the new part number and corresponding NSN into the subject contract will be required.

Please address any questions regarding this matter to the undersigned at the address shown below or by e-mail at clayed@gdls.com.

Sincerely,



Donald J. Claye
Contract Specialist

P.O. Box 2074
Warren, MI 48090-2074
Tel 810 825 7663
Fax 810 825 7396